



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/686,345	10/14/2003	Dale W. Malik	190250-1230	7192
83658 7590 10/13/2009 AT & T Legal Department - WS Attn: Patent Docketing Room 2A-207 One AT & T Way Bedminster, NJ 07921				
			EXAMINER KIM, HEE SOO	
			ART UNIT 2457	PAPER NUMBER
			MAIL DATE 10/13/2009	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/686,345

Applicant(s)

MALIK ET AL.

Examiner

HEE SOO KIM

Art Unit

2457

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 June 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12, 14 and 16-22 is/are pending in the application.
- 4a) Of the above claim(s) 13 and 15 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-12, 14 and 16-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB-08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

This action is responsive to amendment filed on June 24th, 2009.

Claims 1~12, 14, and 16~22 are pending examination.

Response to Amendment

Claims 1, 3, 14, and 16~18 have been amended.

Claims 13 and 15 have been cancelled.

Claim 18 has been amended to comply with the requirements of 35 USC § 101 as being statutory and thus, withdrawn.

Response to Arguments

Applicant's arguments filed 6/24/09 have been fully considered but they are not persuasive.

In response to Applicant's argument on (Pgs. 10 and 11), Examiner provides Applicant with prior art reference of Janacek (U.S 6,684,248) in response to the Official Notice taken on cancelled claims 13 and 15 and now incorporated in claims 1, 3 and 18. The rejection is further articulated below.

In response to Applicant's argument on (Pg. 12), Examiner provides Applicant with prior art reference of Werndorfer (U.S 2004/0017396) in response to the Official Notice taken on claim 16. The rejection is further articulated below.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1~12, 14, and 17~22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Appelman et al. hereinafter Appelman (U.S. 6,912,564) in view of Hickey et al. hereinafter Hickey (U.S. 2002/0087646) and further in view of Janacek et al. hereinafter Janacek (U.S. 6,684,248).

Regarding Claim 1,

Appelman taught a communication method comprising the steps of:

providing a user profile having a collection of properties related to a user email folder, the user profile further having a collection of properties related to a user instant messaging (IM) account (Col. 10, Ln. 30~56, subscriber profile data of IM host complex 590; Profile server 5912 may communicate with servers in the OSP host complex 580 to share profile data; Col. 5, Ln. 40~45, OSP host complex supports email services, discussion groups, and other services; Col. 12, Ln. 53~65, folder attributes set by subscriber of the host system);

defining properties of the user email folder using the user profile (Col. 12, Ln. 53~65); and

defining properties of the user IM account using the user profile (Col. 10, Ln. 30~40); and

providing at least one interface for displaying the user profile, including the defined properties of the user email folder and the defined properties of the user IM account (Col. 10, Ln. 30~40, profile server is used to enter, retrieve, edit, manipulate or process subscriber profile data implying an interface is displayed to the user).

While Appelman taught an interface for users being able to set their email and

instant messaging preferences in the subscription profile data, Appelman did not explicitly teach:

wherein the interface is further configured to provide at least one group email message corresponding to at least one group email folder, the group email folder configured such that members of a group associated with the group email folder have access to the group email message, wherein the interface is further configured to provide an option to provide at least one user-specific email, the user specific email being different than the group email message, and wherein the group email message includes an access indicator for each member of the group, the access indicator configured to indicate which members of the group have accessed the group email message.

In an analogous art, Hickey taught a system and method for providing a group electronic mailbox that enables multiple users to work collaboratively and/or simultaneously with one or more communications received in the mail box (see Abstract), in which each electronic communication includes a status indicator that conveys the status regarding the associated one or more electronic mails to the members of the group, in which the status information includes read information, and also in which such status changes in response to acts of each member of the group. The system of Hickey provides status information including read information, acted upon information, and replied information [¶43]. Hickey further taught status indicators "showing the current status (e.g., New, Read, Answered, Moved, etc.) of an email message in the group mailbox". Hickey further taught that such status indicators allow

the members of the group to obtain the status to messages within the group email folder regarding the other members of the group [¶79].

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to combine the "references" of Hickey (as well as the other relied upon portions of Hickey) into the teachings of Appelman, in order to indicate to each member of the group, through the use of the references, that a group message is stored in the group email folder and further allow members of the group to know whether or not such emails have been reviewed, acted upon, or replied to thereby allowing the members to selectively operate on such electronic communications (Hickey: [¶11]) as well as notifying members or users of the group of any changes in status information of the received electronic communications, so that when a member of the group takes action on an received email, other members of the group can see what has been done (Hickey: [¶16]).

The combination of Appelman and Hickey did not explicitly state wherein a user type associated with a user is assigned.

In a related art, Janacek taught that a method of providing a dynamic account creation in response to a message addressed to an unknown user by a sender who is a party to the network (Abstract). When the account is created, a USERTYPE integer variable is assigned a value of 1. This value is a code used by the messaging system representing the send and receive privilege of the user. A value of 1 signifies that the account is allowed to receive messages, and that an account login is provided for user access to the messages. Furthermore, a value of 1 signifies that the user can access,

display and delete its received messages, but cannot create and send new messages. If the "receive-only" user successfully registers with the messaging system at a later time, their USERTYPE account code will be set to 2 or higher, indicating that the user has both send and receive capability (Janacek: Col. 6, Ln. 63~Col. 7, Ln. 8).

While Janacek did not explicitly state using this feature towards IM account, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate, assigning user types to a user across any type of internet account that requires user-privilege designation, in order to obtain the predictable result of securely delivering and managing messages over the Internet (Janacek: Col. 4, Ln. 19~25), thereby providing secure email communication between known and unknown users in a network.

Regarding Claim 2,

Appelman taught the step of providing the user profiles comprises:

assigning a user profile to a user (Col. 10, Ln. 30~56);

permitting the user assigned to the user profile to have access to the at least one user email folder associated with the user profile (Col. 10, Ln. 30~56, Col. 12, Ln. 53~65); and

While Appelman taught an interface for users being able to set their email and instant messaging preferences in the subscription profile data, Appelman did not explicitly teach permitting the user assigned to the user profile to have access to the group email folder.

In an analogous art, Hickey taught a system and method for providing a group electronic mailbox that enables multiple users to work collaboratively and/or

simultaneously with one or more communications received in the mail box (see Abstract), and in addition to each user typically having an individual mailbox as well as access to the group electronic mailbox ¶¶36].

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to combine the "references" of Hickey (as well as the other relied upon portions of Hickey) into the teachings of Appelman, in order to indicate to each member of the group, through the use of the references, that a group message is stored in the group email folder. See motivation above.

Regarding Claim 3,

Appelman taught a communication method comprising the steps of:

assigning a user profile to a user (Col. 10, Ln. 30~56);

associating a user email folder with the user profile (Col. 12, Ln. 53~65); and

associating a user instant messaging (IM) account with the user profile (Col. 10, Ln. 30~56); and

defining properties associated with the user IM account as a function of the user profile (Col. 10, Ln. 30~40);

While Appelman taught an interface for users being able to set their email and instant messaging preferences in the subscription profile data, Appelman did not explicitly teach:

providing at least one interface for displaying the user profile, including the defined properties of the user email folder and the defined properties of the user IM account,

While Appelman taught an interface for users being able to set their email and instant messaging preferences in the subscription profile data, Appelman did not explicitly teach:

wherein the interface is further configured to provide at least one group email message corresponding to at least one group email folder, the group email folder configured such that members of a group associated with the group email folder have access to the group email message, wherein the interface is further configured to provide an option to provide at least one user-specific email, the user specific email being different than the group email message, and wherein the group email message includes an access indicator for each member of the group, the access indicator configured to indicate which members of the group have accessed the group email message.

In an analogous art, Hickey taught a system and method for providing a group electronic mailbox that enables multiple users to work collaboratively and/or simultaneously with one or more communications received in the mail box (see Abstract), in which each electronic communication includes a status indicator that conveys the status regarding the associated one or more electronic mails to the members of the group, in which the status information includes read information, and also in which such status changes in response to acts of each member of the group. The system of Hickey provides status information including read information, acted upon information, and replied information [¶43]. Hickey further taught status indicators "showing the current status (e.g., New, Read, Answered, Moved, etc.) of an email

message in the group mailbox". Hickey further taught that such status indicators allow the members of the group to obtain the status to messages within the group email folder regarding the other members of the group [¶79].

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to combine the "references" of Hickey (as well as the other relied upon portions of Hickey) into the teachings of Appelman, in order to indicate to each member of the group, through the use of the references, that a group message is stored in the group email folder and further allow members of the group to know whether or not such emails have been reviewed, acted upon, or replied to thereby allowing the members to selectively operate on such electronic communications (Hickey: [¶11]) as well as notifying members or users of the group of any changes in status information of the received electronic communications, so that when a member of the group takes action on an received email, other members of the group can see what has been done (Hickey: [¶16]).

The combination of Appelman and Hickey did not explicitly state wherein a user type associated with a user is assigned.

In a related art, Janacek taught that a method of providing a dynamic account creation in response to a message addressed to an unknown user by a sender who is a party to the network (Abstract). When the account is created, a USERTYPE integer variable is assigned a value of 1. This value is a code used by the messaging system representing the send and receive privilege of the user. A value of 1 signifies that the account is allowed to receive messages, and that an account login is provided for user

access to the messages. Furthermore, a value of 1 signifies that the user can access, display and delete its received messages, but cannot create and send new messages. If the "receive-only" user successfully registers with the messaging system at a later time, their USERTYPE account code will be set to 2 or higher, indicating that the user has both send and receive capability (Janacek: Col. 6, Ln. 63~Col. 7, Ln. 8).

While Janacek did not explicitly state using this feature towards IM account, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate, assigning user types to a user across any type of internet account that requires user-privilege designation, in order to obtain the predictable result of securely delivering and managing messages over the Internet (Janacek: Col. 4, Ln. 19~25), thereby providing secure email communication between known and unknown users in a network.

Regarding Claim 4.

Appelman taught further comprising:

defining properties associated with the user email folder as a function of the user profile (Col. 12, Ln. 53~65).

Regarding Claim 5.

Appelman taught defining properties associated with the user email folder comprises:

assigning a user name associated with the user (Col. 8, Ln. 59~66); and

assigning a password associated with the user name (Col. 8, Ln. 59~66).

Regarding Claim 6.

The combination of Appelman and Hickey taught substantially all the limitations of claim 4 however, failed to specifically teach defining properties associated with the user email folder comprises: assigning a user type associated with the user.

In a related art, Janacek taught that a method of providing a dynamic account creation in response to a message addressed to an unknown user by a sender who is a party to the network (Abstract). When the account is created, a USERTYPE integer variable is assigned a value of 1. This value is a code used by the messaging system representing the send and receive privilege of the user. A value of 1 signifies that the account is allowed to receive messages, and that an account login is provided for user access to the messages. Furthermore, a value of 1 signifies that the user can access, display and delete its received messages, but cannot create and send new messages. If the "receive-only" user successfully registers with the messaging system at a later time, their USERTYPE account code will be set to 2 or higher, indicating that the user has both send and receive capability (Janacek: Col. 6, Ln. 63~Col. 7, Ln. 8).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate, assigning user types to a user across any type of internet account that requires user-privilege designation, in order to obtain the predictable result of securely delivering and managing messages over the Internet (Janacek: Col. 4, Ln. 19~25), thereby providing secure email communication between known and unknown users in a network.

Regarding Claim 7,

Appelman taught defining properties associated with the user email folder comprises:

assigning a collection of email folders to the user (Col. 11, Ln. 45~47).

Regarding Claim 8,

Appelman taught assigning the collection of email folders to the user comprises:

storing post office protocol 3 (POP3) server information for each email folder in the collection of email folders (Col. 5, Ln. 47~52).

Regarding Claim 9,

Appelman taught assigning the collection of email folders to the user comprises:

storing simple mail transfer protocol (SMTP) server information for each email folder in the collection of email folders (Col. 5, Ln. 47~52).

Regarding Claim 10,

Appelman taught properties associated with the user email folder comprises:

storing email filter settings (Col. 12, Ln. 53~65).

Regarding Claim 11,

Appelman taught defining properties associated with the user email folder comprises storing an address book associated with the user (Col. 14, Ln. 15~23).

Regarding Claim 12,

Appelman taught storing the address book associated with the user comprises assigning address book settings to the address book (Col. 14, Ln. 15~23).

Regarding Claim 14,

Appelman taught defining properties associated with the user IM account comprises:

assigning a user name associated with the user (Col. 8, Ln. 59~66); and

assigning a password associated with the user name (Col. 8, Ln. 59~66).

Regarding Claim 17,

Appelman taught storing a contact list associated with the user (Col. 10, Ln. 30~40).

Regarding Claim 18,

Appelman taught a communication system comprising:

an Internet Service Provider (ISP) configured to provide (Col. 5, Ln. 29~30):

a user profile (Col. 10, Ln. 30~56);

a user email folder associated with the user profile (Col. 12, Ln. 53~65);

and

a user instant messaging (IM) account associated with the user profile

Col. 10, Ln. 30~56); and

an interface for displaying the user profile, including the defined properties of the user email folder and the defined properties of the user IM account (Col. 10, Ln. 30~40, profile server is used to enter, retrieve, edit, manipulate or process subscriber profile data implying an interface is displayed to the user).

While Appelman taught an interface for users being able to set their email and instant messaging preferences in the subscription profile data, Appelman did not explicitly teach:

wherein the interface is further configured to provide at least one group email message corresponding to at least one group email folder, the group email folder configured such that members of a group associated with the group email folder have access to the group email message, wherein the interface is further configured to provide an option to provide at least one user-specific email, the user specific email being different than the group email message, and wherein the group email message includes an access indicator for each member of the group, the access indicator

configured to indicate which members of the group have accessed the group email message.

In an analogous art, Hickey taught a system and method for providing a group electronic mailbox that enables multiple users to work collaboratively and/or simultaneously with one or more communications received in the mail box (see Abstract), in which each electronic communication includes a status indicator that conveys the status regarding the associated one or more electronic mails to the members of the group, in which the status information includes read information, and also in which such status changes in response to acts of each member of the group. The system of Hickey provides status information including read information, acted upon information, and replied information [¶43]. Hickey further taught status indicators "showing the current status (e.g., New, Read, Answered, Moved, etc.) of an email message in the group mailbox". Hickey further taught that such status indicators allow the members of the group to obtain the status to messages within the group email folder regarding the other members of the group [¶79].

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made, to combine the "references" of Hickey (as well as the other relied upon portions of Hickey) into the teachings of Appelman, in order to indicate to each member of the group, through the use of the references, that a group message is stored in the group email folder and further allow members of the group to know whether or not such emails have been reviewed, acted upon, or replied to thereby allowing the members to selectively operate on such electronic communications

(Hickey: ¶11) as well as notifying members or users of the group of any changes in status information of the received electronic communications, so that when a member of the group takes action on an received email, other members of the group can see what has been done (Hickey: ¶16).

The combination of Appelman and Hickey did not explicitly state wherein a user type associated with a user is assigned.

In a related art, Janacek taught that a method of providing a dynamic account creation in response to a message addressed to an unknown user by a sender who is a party to the network (Abstract). When the account is created, a USERTYPE integer variable is assigned a value of 1. This value is a code used by the messaging system representing the send and receive privilege of the user. A value of 1 signifies that the account is allowed to receive messages, and that an account login is provided for user access to the messages. Furthermore, a value of 1 signifies that the user can access, display and delete its received messages, but cannot create and send new messages. If the "receive-only" user successfully registers with the messaging system at a later time, their USERTYPE account code will be set to 2 or higher, indicating that the user has both send and receive capability (Janacek: Col. 6, Ln. 63~Col. 7, Ln. 8).

While Janacek did not explicitly state using this feature towards IM account, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate, assigning user types to a user across any type of internet account that requires user-privilege designation, in order to obtain the predictable result of securely delivering and managing messages over the Internet (Janacek: Col. 4, Ln.

19~25), thereby providing secure email communication between known and unknown users in a network.

Regarding Claim 19,

Appelman taught the user profile is configured to define properties associated with the user email folder (Col. 12, Ln. 53~65).

Regarding Claim 20,

Appelman taught the properties associated with the user email folder include at least an email filter setting (Col. 12, Ln. 53~65).

Regarding Claim 21,

Appelman taught the user profile is configured to define properties associated with the user IM account (Col. 10, Ln. 30~40).

Regarding Claim 22,

Appelman taught the properties associated with the user IM account include at least a contact list (Col. 10, Ln. 30~40).

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over Appelman in view of Hickey and further in view of 'Official Notice'.

Regarding Claim 16,

Appelman taught substantially all the limitations of claim 3 however, failed to specifically teach defining properties associated with the user IM account comprises: assigning a collection of IM accounts to the user.

Examiner takes 'Official Notice' (Wendorfer, 2004/0017396, see ¶43) that it was well-known to one of ordinary skill in the art for assigning a collection of IM accounts to the user as it would allow a user in one IM application to communicate with other users using different IM applications without the need to install separate IM applications.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HEE SOO KIM whose telephone number is (571)270-3229. The examiner can normally be reached on Monday - Thursday 8:00AM - 5:30PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2457

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/H. K./
09/30/09

/ARIO ETIENNE/
Supervisory Patent Examiner, Art Unit 2457